



# Spring Die Mould Part Manufacturing Company



Ejector pin, Ejector sleeve  
Ejector blade, HSS punch  
Standard(标准): DIN1530A/B/AH/D,  
DIN9861D/C, DIN16756, ISO8020,  
DIN6325, DIN7979  
顶针, 司筒, 簧顶针, 高速钢冲头



Side straight block set, Tapered locks  
Matl (材料): SKD11, S45C, YK30  
Metric Size(公制规格): PL38 PL50 PL75  
PL100 PL125  
导位固定块, 圆形斜度导位销



Sprue bushing euro standard type A B C  
Matl(材料): 1.2505, 38NcD4, SC45,  
Skd61, scm415, suj2,  
欧标浇口套 A B C 系列



Air poppet valves according  
DME, MISUMI, CUMSA  
Matel (材料): sus420(1.4034),  
UNI X4Cr13Ku,  
气阀(气顶), 依照DME,  
MISUMI, CUMSA 标准



Recycling date stamp(month date year)  
Matl (材料): SUS420,  
UNI-X41Cr13KU,  
DIN-1.2083  
年月日型日期章



Hexagon Socket Head Cap Screw  
Bll plungers  
Standard(标准): DIN 912 Grade  
10.8, 12.9  
Dia.: M3-M20 L: 10-250mm  
波珠螺丝, 塞打螺丝, 内六角杯头螺栓



# Spring Die Mould Part Manufacturing Company



ISO10243 MOULD SPRING

Matl:50CrVa,50CrSi,55CrSi,65Mn,  
SUP-12,SUS316

Dia.:  $\phi$  10- $\phi$  64mm Length:25-305mm  
意标弹簧 ISO 10243标准, 接受来样加工



JISB5012 TJF TJL TJM TJH TJB

Dia.:  $\phi$  8- $\phi$  70mm Length:10-300mm  
OEM/ODM available  
日标弹簧JIS B5012标准 接受来样加工




Guide pillar(post), Drill bushing  
SRP,SGP guide pillars bush set  
Matl(材料):20Cr,40Cr,SuJ2,SC45,  
20CrMoTi,20CrNiMo  
导柱, 导套 及SGP,SRP 导柱套组件



Carbide Insert, Twist drills  
(DIN1897)  
Matl (材料):  
HSS(6542.4341), M35  
高速钢麻花钻, 硬质合金刀片



Parting Lock Made in Japan, Made in S.Korea  
Material(材料):High grade Nylon+SCM435  
Type:PL10,PL12,PL13,PL16,PL20  
树脂开闭器, 产地: 日本, 韩国



Ball bearing cage, Ball Retainer  
ID(内孔):  $\phi$  5- $\phi$  60mm  
Length(长): 10-120mm Ball:  
2.2 3.5 5.5 6.5 7 8 9  
Matl(材料):POM090,AL6061,Cu59#  
钢珠套 (标准型, 密珠型, 特密型)



Carbide,diamond alloy steel bar,Tungsten rod  
YG25C,YG15,K10,YL10.2,YL50  
Diameter tol: $D \leq \pm 0.03\text{mm}$  Length tol: $L \leq \pm 0.5\text{mm}$  clear hole in mold making workshop


Plastic air blow dust gun 10pcs per box  
for washing machinery or



Clamp , pressplate used for Injection plastic molding machine  
Material: S45C.Forged.  
Surface:Anti-rust treatment,black finish,zinc plating or customized Painting



Digital vernier caliper



Dial vernier caliper



Universal vernier caliper

Agent brands: **Mahr** Origin:Germany **Mitutoyo** Origin:Japan



Origin:Shanghai China

HEXAGON origin:Sweden



Plastic particle.



450ML mould release agent  
24 bottles per carton  
Made in Taiwan



4kgs 500l ml  
hand washing liquid,particle  
Easy clear various industrial oil dirt

ABA ABS PE PP PC PVC material



Contact Us

Group:WELLBO INTERNATIONAL INDUSTRIAL CO., LIMITED

Factory:Spring Die Mould Part Industry Co.,Ltd.

FAT Add: No728 Sojiang Rd(Jiangnan Export Processing Trade Zone) Ningbo China P.C 315800

Sales: P.O. Box 315020, 36-235 G.S,Lane 328 Xijia,Zhuangqiao,Jiangbei Ningbo P.R.CHINA

☎ 0086-574 82068982(12 lines) 📠 0086-574 55844426(3 lines) 📞 0086-13386677692

✉ Sales dept: export@spring-diemouldpart.com, manager.sdmp@yahoo.com

R&D dept.: r-d@spring-diemouldpart.com Marketing: info@spring-diemouldpart.com

Online talk: skype: sdmpbob msn: sdmp@live.cn